2. General Information

© Nokia Corporation

©Nokia Corporation

Contents

Page No

Product Selection 5
Handportables 5
Desktop Option 7
Advanced Hands Free Car Installation (CARK-91) Options 8
Product List 9
Technical Specifications 10
General Specifications of Transceiver NPW-2NX 10

©Nokia Corporation

©Nokia Corporation

Product Selection

Handportables

The NPW-2NX is a dualband/dualmode radio transceiver unit for 800/1900MHz Time Division Multiple Access (TDMA) networks. The transceiver consists of system/RF module, keypad module, LCD module, and assembly parts. The user interface (UI) consists of normal number, talk, soft, and power keys in the keymat.

The antenna is internal; antenna connection is provided by spring from PCB to antenna.

Name:	Type Code:	Material Code:
Transceiver	See Product Variants	
Standard Battery (1000 mAh Li-Ion)	BLB-3	0670283
AC Travel Charger (Euro plug) 207-253 Vac	ACP-7E	0675144
AC Travel Charger (US plug) 108-132 Vac	ACP-7U	0675143
AC Travel Charger (US plug) 198-242 Vac	ACP-7C	0675158
AC Travel Charger (UK plug) 207-253 Vac	ACP-7X	0675145
AC Travel Charger (UK plug) 180-220 Vac	ACP-7H	0675146
AC Travel Charger (Australia plug) 216-264 Vac	ACP-7A	0675148
Performance Travel Charger Euro plug 90-264 Vac	ACP-8E	0675195
Performance Travel Charger Korea plug 90-264 Vac	ACP-8K	0675199
Performance Travel Charger UK plug 90-264 Vac	ACP-8X	0675197

©Nokia Corporation

Name:	Type Code:	Material Code:
Performance Travel Charger US plug 90-264 Vac	ACP-8U	0675196
Performance Travel Charger China plug 90-264 Vac	ACP-8C	0675211
Performance Travel Charger Australia plug 90-264 Vac	ACP-8A	0675214

©Nokia Corporation

Desktop Option

The desktop option allows the user to charge the phone from the mains.



Item	Name:	Type Code:	Material Code:
1	Transceiver	See Product Variants	
2	Desk stand	DCH-8	0675174
3	AC Travel Charger (Euro plug) 207-253 Vac	ACP-7E	0675144
4	AC Travel Charger (US plug) 108-132 Vac AC Travel Charger (US plug) 198-242 Vac	ACP-7U ACP-7C	0675143 0675158
5	AC Travel Charger (UK plug) 207-253 Vac AC Travel Charger (UK plug) 180-220 Vac	ACP-7X ACP-7H	0675145 0675146
6	AC Travel Charger (Australia plug) 216-264 Vac	ACP-7A	0675148
7	Performance Travel Charger Euro plug 90-264 Vac Performance Travel Charger Korea plug 90-264 Vac	ACP-8E ACP-8K	0675195 0675199
8	Performance Travel Charger UK plug 90-264 Vac	ACP-8X	0675197
9	Performance Travel Charger US plug 90-264 Vac Performance Travel Charger China plug 90-264 Vac	ACP-8U ACP-8C	0675196 0675211
10	Performance Travel Charger Australia plug 90-264 Vac	ACP-8A	0675214

©Nokia Corporation

Advanced Hands Free Car Installation (CARK-91) Options



Item	Name	Type Code	Material Code
1	Transceiver	(See Product Variants section)	
2	Mobile Holder	MCC-1	0620043
3	Handsfree Unit	HFU-2	0694049
4	Handsfree Microphone	HFM-8	0690016
5	Handsfree Speaker	HFS-12	0692008
6	Power Cable	PCH-4J	0730055
7	Swivel Mount	HHS-9	0620037
8	Mounting Plate	MKU-1	0620036

©Nokia Corporation

Product List

Unit/type:	Product code:
Transceiver NPW-2NX	See Product Variants
Li-Ion Battery BLB-3 1000 mAh	0670283
AC Travel Charger ACP-7E (EUR) 207-253 Vac	0675144
AC Travel Charger ACP-7U (US) 108-132 Vac	0675143
AC Travel Charger ACP-7P (US) 207-253 Vac	0675147
AC Travel Charger ACP-7C (US) 207-253 Vac	0675158
AC Travel Charger ACP-7X (UK) 207-253 Vac	0675145
AC Travel Charger ACP-7H (UK) 207-253 Vac	0675146
AC Travel Charger ACP-7A (AUS) 207-253 Vac	0675148
Performance Travel Charger ACP-8E (EUR) 90-264 Vac	0675195
Performance Travel Charger ACP-8K (Korea) 90-264 Vac	0675199
Performance Travel Charger ACP-8X (UK) 90-264 Vac	0675197
Performance Travel Charger ACP-8U (US) 90-264 Vac	0675196
Performance Travel Charger ACP-8C (China) 90-264 Vac	0675211
Performance Travel Charger ACP-8A (AUS) 90-264 Vac	0675214
Extra Battery Charger DDC-1	0675243
DCH-12K Desktop stand DCH-8D Desktop stand DCH-8 Desktop stand	0675228 0675256 0675179
Mounting Plate MKU-1	0620036
Swivel Mount HHS-9	0620037
Cigarette Lighter Charger LCH-9	0675120
Handsfree Microphone HFM-8	0690016
Headset HDC-9P	0694063
Headset HDE-1	0694076
Phone Adapter (TTY/Headset) HDA-8	0694092
Loopset LPS-1	0272233
Passive Car Holder MBC-1	0700060
Leather Style Case CSL-17	0720271
Data Cable DLR-3P	0730183

©Nokia Corporation

Technical Specifications

General Specifications of Transceiver NPW-2NX

Table 1: Specification for TDMA800 + AMPS

Parameter	Unit
Cellular system	TDMA800 + AMPS
RX frequency band	869.01 - 893.97 MHz
TX frequency band	824.01 - 848.97 MHz
Output power	-5 - +28 dBm / 0.3 mW - 630 mW
Number of RF channels	832
Channel spacing	30 kHz

Table 2: Specification for TDMA 1900

Parameter	Unit
Cellular System	TDMA1900 + AMPS
RX frequency band	1930.05 - 1989.99 MHz
TX frequency band	1850.01 - 1909.95 MHz
Output power	-5 - +28 dBm / 0.3 mW - 630 mW
Number of RF channels	1999
Channel spacing	30 kHz

©Nokia Corporation